

=> IFW: Scan as Doc Code: SRNT <=
Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/551716

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

 **PALM INTRANET**Day : Thursday
Date: 7/13/2006
Time: 14:18:11

Inventor Information for 10/551716

| Inventor Name | City | State/Country |
|-------------------|----------|---------------|
| HAMADA, TAKESHI | MIYAZAKI | JAPAN |
| HANADA, TOSHIHIRO | MIYAZAKI | JAPAN |

| | | | | | | |
|------------|----------|---------------|-----------------|-------------------|--------------|---------|
| Appln Info | Contents | Petition Info | Atty/Agent Info | Continuity/Reexam | Foreign Data | Invento |
|------------|----------|---------------|-----------------|-------------------|--------------|---------|

Search Another: Application# or Patent#
PCT / / or PG PUBS #
Attorney Docket #
Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | |
|-------------------------|----------|--|-----------|--------------------------|----------------------------------|
| US 20060197049 A1 | 20060907 | Fluid operating valve | 251/285 | | Hamada; Takeshi et al. |
| US 20050081225 A1 | 20050414 | Pick-up holder and drive unit for recording medium | 720/676 | | Tanimoto, Katsuhiko et al. |
| US 20050078179 A1 | 20050414 | Modulate aptamer and method for detecting target protein by using the same | 348/143 | | Hamada, Takeshi |
| US 20050072481 A1 | 20050407 | Manifold valve | 137/884 | | Hanada, Toshihiro et al. |
| US 20040159728 A1 | 20040819 | Cone crusher | 241/209 | | Hamada, Takeshi et al. |
| US 20040091782 A1 | 20040513 | Graphite material for negative pole of lithium secondary battery, method of manufacturing the graphite material, and lithium secondary battery | 429/231.8 | 423/448 | Kawano, Yoichi et al. |
| US 20030155024 A1 | 20030821 | Manifold valve | 137/861 | | Hanada, Toshihiro et al. |
| US 20030010946 A1 | 20030116 | Pinch valve | 251/5 | | Furukawa, Shigenobu et al. |
| US 20020146623 A1 | 20021010 | LITHIUM SECONDARY BATTERY AND ACTIVE MATERIAL FOR NEGATIVE | 429/218.1 | 429/231.8; 429/231.95 | SUZUKI, KIMIHITO et al. |

| | | | | | |
|-------------------------|----------|---|-----------|---|----------------------------------|
| | | ELECTRODE IN LITHIUM SECONDARY BATTERY | | | |
| US 20020098758 A1 | 20020725 | BLANKET SUBSTRATE AND BLANKET | 442/192 | 428/397; 428/400; 428/909; 442/189 | HAMADA, TOSHIHIRO et al. |
| US 7036758 B2 | 20060502 | Cone crusher | 241/209 | 241/207; 241/208; 241/214; 241/215; 241/216; 241/293 | Hamada; Takeshi et al. |
| US 6889709 B2 | 20050510 | Manifold valve | 137/606 | 137/883; 251/331 | Hanada; Toshihiro et al. |
| US 6755388 B2 | 20040629 | Pinch valve | 251/5 | 251/62 | Furukawa; Shigenobu et al. |
| US 6555272 B2 | 20030429 | Lithium secondary battery and active material for negative electrode in lithium secondary battery | 429/231.8 | 429/217; 429/231.95 | Suzuki; Kimihiro et al. |
| US 6500776 B2 | 20021231 | Blanket substrate and blanket | 442/192 | 428/909; 442/189; 442/293 | Hamada; Toshihiro et al. |
| US 6319601 B1 | 20011120 | Polyvinyl alcohol based fibers | 428/364 | 152/451; 152/527; 152/531; 152/532; 264/185; 428/375; 428/394 | Ise; Tomokazu et al. |
| US 6194067 B1 | 20010227 | Carbonaceous particles and carbonaceous fibers both coated with boron nitride, and lithium | 428/367 | 428/375; 428/402; 428/403 | Hamada; Takeshi et al. |

| | | | | | |
|--------------|----------|--|------------|--|-------------------------------|
| | | secondary cells produced by using the same as negative active material | | | |
| US 5905927 A | 19990518 | Image forming apparatus and driving mechanism for image holding member | 399/167 | 464/157; 74/665GA; 74/665GD; 74/665GE | Inoue; Yoshinori et al. |
| US 5904180 A | 19990518 | Pressure control device integral formed the electric controller | 137/884 | 251/129.15 | Iwamura; Moritaka et al. |
| US 5853231 A | 19981229 | Pressure control device | 303/119.2 | 137/884; 303/119.3 | Iwamura; Moritaka et al. |
| US 5443524 A | 19950822 | Teaching playback swing-phase-controlled above knee prosthesis | 623/24 | 623/44 | Sawamura; Seishi et al. |
| US 5176429 A | 19930105 | Failure detection circuit for anti-skid braking system | 303/122.05 | 303/20; 303/DIG.9 | Junichi; Kaneko et al. |
| US 4975263 A | 19901204 | Process for producing mesophase pitch-based carbon fibers | 423/447.7 | 264/29.2; 423/447.1; 423/447.4; 423/447.6 | Furuyama; Masatoshi et al. |
| US 4775589 A | 19881004 | Coaltar pitch based carbon fiber having high Young's modulus | 428/367 | 264/29.2; 423/447.1; 423/447.2; 428/397 | Hamada; Takeshi et al. |
| US 4500501 A | 19850219 | Method of removing sulfur oxides and nitrogen | 423/239.1 | 423/235; 423/244.03 | Hamada; Takeshi et al. |

| | | | | | |
|-----------------|----------|---|----------|--|---------------------------|
| | | oxides by dry process | | | |
| US 4469662 A | 19840904 | Method of removing sulfur oxides and nitrogen oxides by dry process | 423/235 | 423/237; 423/239.1; 423/244.03; 423/545 | Hamada; Takeshi et al. |
| US 4198650 A | 19800415 | Capacitive-type nonlinear emphasis circuit | 348/613 | 360/25; 360/30; 386/9; 455/43 | Hongu; Masayuki et al. |
| US 4083019 A | 19780404 | Current controlled emitter coupled multivibrator | 331/113R | 329/314; 332/113; 360/30 | Hamada; Takeshi et al. |